

## **COMPLETION OF WORK REPORT**

EVERGREEN MANOR SITE ROSCOE TOWNSHIP, WINNEBAGO COUNTY, ILLINOIS

Prepared by: Conestoga-Rovers & Associates

8615 W. Bryn Mawr Avenue Chicago, Illinois 60631-3501

Office: 773-380-9933 Fax: 773-380-6421

APRIL 2013
REF. NO. 034891 (11)
This report is printed on recycled paper.

## TABLE OF CONTENTS

	ē,		<u>Page</u>
1.0	INTROD 1.1 1.2 1.3	UCTION AND BACKGROUNDBACKGROUNDREMEDIAL ACTION - GROUNDWATER MONITORING PROGRESSION OF THE REMEDIAL ACTION	1 RAM 2
2.0	SITE CLO 2.1	SURE ACTIVITIES SINCE JUNE 2012 MONITORING WELL ABANDONMENT AND SEALING	
3.0	CERTIFIC	CATION	6
4.0	CONTAC	TS	7

## LIST OF FIGURES

(Following Text)

FIGURE 1.1 SITE LOCATION

FIGURE 1.2 MONITORING WELL LOCATIONS – GROUNDWATER MONITORING

PROGRAM

## LIST OF APPENDICES

APPENDIX A COMPLETED MONITORING WELL SEALING FORMS

#### 1.0 <u>INTRODUCTION AND BACKGROUND</u>

This "Completion of Work Report" (COWR) has been prepared by Conestoga-Rovers & Associates (CRA) on behalf of the Settling Defendants for the Evergreen Manor Site (Site) located in Roscoe Township, Winnebago County, Illinois. This report documents the completion of all final field activities at the Site and has been prepared in accordance with Section XIV – 'Certification of Completion' of the "Consent Decree for Remedial Action and Cost Recovery" (Consent Decree), which became effective on February 26, 2009. Specifically, Paragraph 52 - 'Completion of the Work' in Section XIV of the Consent Decree specifies the requirements for documenting "that all phases of the Work (including O&M) have been fully performed".

In May 2012, CRA, on behalf of the Settling Defendants, submitted the "Remedial Action Completion and Certification Report" (RACCR) to the United States Environmental Protection Agency (U.S. EPA), which documented the completion of the remedial action. The U.S. EPA subsequently approved the RACCR in a letter dated June 27, 2012.

#### 1.1 BACKGROUND

The Site is located in unincorporated Roscoe Township in Winnebago County, Illinois, just north of Roscoe, Illinois (Figure 1.1). Roscoe is located in north-central Illinois, about 10 miles north of Rockford, Illinois. The CERCLIS identification number for the Site is ILD984836734. The Site has historically extended from an industrial area near Route 251 and Rockton Road about two miles southwest through the Hononegah Heights, Tresemer, Old Farm, and Evergreen Manor subdivisions.

A "Record of Decision" (ROD) was promulgated for the Site by the U.S. EPA in September 2003. Following the U.S. EPA's final execution of the ROD, an "Administrative Order on Consent" (AOC) between the U.S. EPA and two Respondents became effective on October 7, 2004. A "Remedial Design Work Plan" (RD Work Plan) was prepared in accordance with the "Statement of Work" (SOW) presented as Attachment II to the AOC. The RD Work Plan was approved by the U.S. EPA in a letter dated June 7, 2005. The RD Work Plan was successfully implemented and CRA prepared the "Remedial Design Report" (RD Report) in February 2006, which was subsequently approved by the U.S EPA in a letter dated May 24, 2006.

The Site had previously been characterized as a groundwater contamination Site due to the presence of certain volatile organic compounds (VOCs) at concentrations that exceeded the U.S. EPA's maximum contaminant levels (MCLs). However, the results presented in the RD Report established that a discernable groundwater contaminant plume no longer existed. All of the groundwater constituents observed historically had already attenuated naturally to below drinking water standards (MCLs), and the data confirmed the temporal trend observed previously of declining VOC concentrations.

It was determined that the character of the groundwater aquifer was conducive to the natural degradation of chlorinated solvents in situ. Therefore, Monitored Natural Attenuation (MNA) was the selected remedy. In accordance with Item II, Section 3 and Item III, Section 2c of the SOW appended to the AOC, CRA prepared a "Remedial Action Work Plan (Long Term Groundwater Monitoring Plan)" (RAWP) for the Site in August 2007.

In May 2008 the Consent Decree was executed by all parties, and it subsequently became effective on February 26, 2009. As part of the Consent Decree, the Settling Defendants agreed to implement the August 2007 RAWP. The RAWP was incorporated as Appendix B to the Consent Decree.

#### 1.2 REMEDIAL ACTION - GROUNDWATER MONITORING PROGRAM

Sections 3.0 and 4.0 of the RAWP detailed the groundwater monitoring program that was to be implemented in order to confirm that the remedial action (RA) objectives had been achieved. In accordance with the RAWP, CRA conducted four quarterly sampling events during the 2009-2010 reporting period, and then two additional annual sampling events, in the Fall of 2010 and the Fall of 2011, in order to complete three consecutive years of monitoring. During the groundwater monitoring events, the collected groundwater samples were analyzed for the U.S. EPA Target Compound List (TCL) of VOCs as set forth in Table 2.2 of the Site's "Quality Assurance Project Plan" (QAPP). Figure 1.2 presents the locations of the five monitoring wells that were sampled during the groundwater monitoring program.

#### 1.3 COMPLETION OF THE REMEDIAL ACTION

The groundwater data collected during the groundwater monitoring program demonstrated that the remedial action had been completed in accordance with the Consent Decree and that the remedy was protective of human health and the environment. Therefore, on February 2, 2012, representatives of the U.S. EPA, CRA, and the Settling Defendants attended a meeting at the U.S. EPA offices in Chicago, during

which an agreement was reached for the process of formally closing the project, "de-proposing" the Site, and abandoning the remaining monitoring wells.

Following the February 2, 2012 meeting, in accordance with Paragraph 51 - 'Completion of the Remedial Action' in Section XIV of the Consent Decree, CRA prepared the RACCR to document the completion of the remedial action. The RACCR was submitted to the U.S. EPA in May 2012 and was subsequently approved by the U.S. EPA in a letter dated June 27, 2012.

#### 2.0 SITE CLOSURE ACTIVITIES SINCE JUNE 2012

Subsequent to the U.S. EPA approval of the RACCR in its June 27, 2012 letter, the following activities were completed in an effort to complete final closure of the project:

- On September 18, 2012, the U.S. EPA formally issued a proposal to de-list the Site from the National Priorities List (NPL) (see National Priorities List, Proposed Rule No. 57, Federal Register/Volume 77, Number 181/Tuesday, September 18, 2012).
- On February 27, 2013 representatives of the U.S. EPA, CRA, and the Settling Defendants attended a meeting at the U.S. EPA offices in Chicago, during which an agreement was reached for the process of formally closing the project, including abandoning the remaining monitoring wells and preparing this "Completion of Work Report".
- On February 27, 2013 CRA submitted to the U.S. EPA a work plan to abandon and seal the five monitoring wells that remained at the Site.
- In an email message to CRA dated February 28, 2013 the U.S. EPA approved the work plan to abandon and seal the five remaining monitoring wells.
- On March 25, 2013 the five monitoring wells were properly abandoned and sealed in accordance with the February 27, 2013 approved work plan.

#### 2.1 MONITORING WELL ABANDONMENT AND SEALING

On March 25, 2013 Earth Solutions of St. Charles, Illinois, under the oversight of CRA, sealed the five monitoring wells that remained at the Site: MW-01A, MW-03, MW-103S, MW-105S, and MW-106D. The locations of the monitoring wells are presented on Figure 1.2. Sealing of the five monitoring wells was performed in accordance with Section 920.120 of the Illinois Water Well Construction Code (Title 77 of the Illinois Administrative Code, Part 920), using the following procedures:

- the protective steel outer casing or flush-mount roadbox was removed;
- the inner monitoring well casing was removed to a minimum depth of 2-feet below the ground surface;
- the monitoring well was sealed using bentonite grout installed from the bottom of the well up to 2-feet below the ground surface using a tremie pipe; and
- the remaining 2-feet up to the ground surface was backfilled with soil.

Prior to conducting the work, CRA contacted the U.S. EPA and then on March 21, 2013 contacted the Winnebago County Health Department (WCHD) to inform them of the upcoming monitoring well sealing activities.

Completed water well sealing forms for the five monitoring wells are provided in Appendix A. The completed water well sealing forms were also submitted to the WCHD attached to a cover letter dated April 17, 2013.

With the sealing of the last five monitoring wells, all of the activities at the Site have been completed in full satisfaction of the requirements of the Consent Decree.

5

#### 3.0 <u>CERTIFICATION</u>

To the best of my knowledge, after thorough investigation, I certify that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Project Coordinator: Bruce C. Clegg Conestoga-Rovers & Associates, Inc.

Signature:

Date:

#### 4.0 CONTACTS

#### Project Coordinator / Settling Defendants' Contact

Mr. Bruce Clegg Conestoga-Rovers & Associates 8615 W. Bryn Mawr Avenue Chicago, Illinois 60631 Telephone: (773) 380-9933

Facsimile: (773) 380-6421 Email: bclegg@craworld.com

#### U.S. EPA Project Manager

Mr. William J. Ryan U.S. EPA, Region 5 (SR-5J) 77 West Jackson Blvd. Chicago, Illinois 60404-3590 Telephone: (312) 353-4374 Facsimile: (312) 886-7191


Email: ryan.williamj@epa.gov


## Illinois EPA Project Manager

Ms. Erin Rednour
Illinois Environmental Protection Agency
Bureau of Land
FSRS#24
1021 North Grand Avenue East
P.O. Box 19276
Springfield, Illinois 62794-9276
Telephone: (217) 785-8725
Email: Erin.Rednour@illinois.gov

## Winnebago County Contact

Winnebago County Health Department Environmental Services P.O. Box 4009 401 Division Street Rockford, Illinois 61110 Telephone: (815) 720-4000





## APPENDIX A

COMPLETED MONITORING WELL SEALING FORMS

#### ILLINOIS DEPARTMENT OF PUBLIC HEALTH DIVISION OF ENVIRONMENTAL HEALTH 525 W. JEFFERSON ST. SPRINGFIELD, IL 62761



#### WATER WELL SEALING FORM

#### PDF FILLABLE/SAVABLE

RETURN ALL COPIES TO IDPH OR LOCAL HEALTH DEPARTMENT

This form shall be submitted to this Department or the local health department not more than 30 days after a water well, boring or monitoring well is sealed. Such wells are to be sealed not more than 30 days after they are abandoned in accordance with the sealing requirements in the Illinois Water Well Construction Code. THE LOCAL HEALTH DEPARTMENT OR REGIONAL PUBLIC HEALTH DEPARTMENT MUST BE NOTIFIED AT LEAST 48 HOURS PRIOR TO SEALING.

1. Ownership (Name of Controlling Party)  Evergreen Manor Site  2. Well Location: Well Site Address Monitoring Well MW-01A City Roscoe Township Zip  Lot # Land I.D.# County Winnebago Township T46N  Range R2E Section 29 Quarter of the Quarter of the SW  GPS: North Degrees 42 Minutes 26 Seconds 1.3 Degrees 89 Minutes 1 Seconds 56.8 Report decimal minutes to minutes and seconds by multiplying the decimal part of the minutes by 60, e.g. latitude 38 degrees 46.07 minutes N would be latitude 38 degrees 48 minutes 4.2 seconds (0.07 x 90 = 4.1) N. Report GPS coordinates to the nearest 0.1 second.  3. Year Drilled 2002 4. Drilling Permit Number (and date, if known  5. Type of Well Monitoring 6. Total Depth (ft.) 60 Diameter (in.) 2  7. Formation clear of obstruction Yes  8. Detains of Plugging (bentonite, neat cement or other materials)  Filled with Top Soil From (ft.) 0 to (ft.) 2  Kind of plug Bentonite Grout From (ft.) to (ft.) 60  Filled with From (ft.) to (ft.)  Filled with From (ft.) to (ft.)  Filled with From (ft.) Lo (ft.)  Formation clear of obstruction proved by the Department performing well sealing Name Earth Solutions Inc.  Complete License Number  Address 40W205 Deer Run Drive City St. Charles State Illinois Zip Code 60175								
Lot # Land I.D.# County Winnebago Township T46N  Range R2E Section 29 Quarter of the NE SW  GPS: North Degrees 42 Minutes 26 Seconds 1.3 Degrees 89 Minutes 1 Seconds 56.8 Report decimal minutes to minutes and seconds by multiplying the decimal part of the minutes by 60, e.g. latitude 38 degrees 46.07 minutes N would be latitude 38 degrees 46 minutes 4.2 seconds (0.07 x 60 - 4.1) N. Report GPS coordinates to the nearest 0.1 second.  3. Year Drilled 2002 4. Drilling Permit Number (and date, if known  5. Type of Well Monitoring 6. Total Depth (ft.) 60 Diameter (in.) 2  7. Formation clear of obstruction Yes  8. Detains of Plugging (bentonite, neat cement or other materials)  Filled with Top Soil From (ft.) 0 to (ft.) 2  Kind of plug Bentonite Grout From (ft.) 1 to (ft.) 60  Filled with From (ft.) to (ft.) 1  Kind of plug From (ft.) 1 to (ft.) 1  Filled with From (ft.) 1 to (ft.) 1  Form (ft.) 1 to (ft.) 1  Seconds 56.8  Report decimal minutes to minutes and seconds by multiplying the decimal part of the minutes by 60, e.g. latitude 38 degrees 46.07 minutes N would be given and seconds by minutes N would be given and seconds by minutes N would be filled as a few seconds (no.7) x 60 - 4.1) N. Report GPS coordinates to the nearest 0.1 seconds 56.8  Report decimal minutes to minutes to minutes to minutes N would be filled as a few seconds (no.7) x 60 - 4.1) N. Report GPS coordinates to the meanest of the minutes to the nearest 0.1 seconds 56.8  Report decimal part of the minutes of the minutes to the minutes to the nearest 0.1 seconds 56.8  Report decimal part of the minutes of the minutes to the minutes to the minutes to the nearest 0.1 seconds 56.8  Report decimal part of the minutes of the minutes of the minutes to the minutes of the minut	1.	Ownership (N	lame of Controlling Party)	Evergreen Manor Site				
Range R2E Section 29 Quarter of the Quarter of the Quarter of the SW  GPS: North Degrees 42 Minutes 26 Seconds 1.3 Degrees 89 Minutes 1 Seconds 56.8 Report decimal minutes to minutes and seconds by multiplying the decimal part of the minutes by 60, e.g. latitude 38 degrees 46.07 minutes N would be latitude 38 degrees 46 minutes 4.2 seconds (0.07 x 00 = 4.1) N. Report GPS coordinates to the nearest 0.1 second.  3. Year Drilled 2002 4. Drilling Permit Number (and date, if known  5. Type of Well Monitoring 6. Total Depth (ft.) 60 Diameter (in.) 2  7. Formation clear of obstruction Yes  8. Detains of Plugging (bentonite, neat cement or other materials)  Filled with Top Soil From (ft.) 0 to (ft.) 2  Kind of plug Bentonite Grout From (ft.) 1 to (ft.) 60  Filled with From (ft.) 1 to (ft.) 1  Kind of plug From (ft.) 1 to (ft.) 1  Kind of plug From (ft.) 1 to (ft.) 1  Kind of plug From (ft.) 1 to (ft.) 1  Kind of plug From (ft.) 1 to (ft.) 1  CASING RECORD Upper 2 feet of casing removed Yes 10. Date well was sealed Mar 25, 2013  11. Licensed water well driller or other person approved by the Department performing well sealing	2.	Well Location	: Well Site Address Moni	toring Well MW-01A	City Rosco	e Township	Zip	
GPS: North Degrees 42 Minutes 26 Seconds 1.3 Degrees 89 Minutes 1 Seconds 56.8  Report decimal minutes to minutes and seconds by multiplying the decimal part of the minutes by 60, e.g. latitude 38 degrees 46.07 minutes N would be latitude 38 degrees 46 minutes 4.2 seconds (0.07 x 60 = 4.1) N. Report GPS coordinates to the nearest 0.1 second.  3. Year Drilled 2002 4. Drilling Permit Number (and date, if known 5. Type of Well Monitoring 6. Total Depth (ft.) 60 Diameter (in.) 2  7. Formation clear of obstruction Yes 8. Detains of Plugging (bentonite, neat cement or other materials)  Filled with Top Soil From (ft.) 0 to (ft.) 2  Kind of plug Bentonite Grout From (ft.) 1 to (ft.) 60  Filled with From (ft.) 1 to (ft.) 1  Kind of plug From (ft.) 1 to (ft.) 1 to (ft.) 1  Kind of plug From (ft.) 1 to (ft.)		Lot#	Land I.D.#	County	Winnebago	To	ownship	T46N
Report decimal minutes to minutes and seconds by multiplying the decimal part of the minutes by 60, e.g. latitude 38 degrees 46 minutes 4.2 seconds (0.07 x 60 = 4.1) N. Report GPS coordinates to the nearest 0.1 second.  3. Year Drilled 2002		Range R2	E Section 29				]	*
5. Type of Well Monitoring 6. Total Depth (ft.) 60 Diameter (in.) 2  7. Formation clear of obstruction Yes 8. Detains of Plugging (bentonite, neat cement or other materials)  Filled with Top Soil From (ft.) 0 to (ft.) 2  Kind of plug Bentonite Grout From (ft.) 2 to (ft.) 60  Filled with From (ft.) to (ft.)   Kind of plug From (ft.) to (ft.)  Kind of plug From (ft.) to (ft.)  Filled with From (ft.) to (ft.)  Silled with From (ft.) To Date well was sealed Mar 25, 2013  11. Licensed water well driller or other person approved by the Department performing well sealing  Name Earth Solutions Inc. Complete License Number		Degree Report decima	ees 42 Minutes 26 al minutes to minutes and seconds	by multiplying the decimal p	Degrees 89 art of the minutes by 60,	e.g. latitude 38 de	egrees 46.0	
7. Formation clear of obstruction Yes 8. Detains of Plugging (bentonite, neat cement or other materials)  Filled with Top Soil From (ft.) 0 to (ft.) 2  Kind of plug Bentonite Grout From (ft.) 2 to (ft.) 60  Filled with From (ft.) to (ft.)  Kind of plug From (ft.) to (ft.)  Kind of plug From (ft.) to (ft.)  Filled with From (ft.) to (ft.)  Silled with From (ft.) To (ft.)  Kind of plug From (ft.) To (ft.)  Kind of plug From (ft.) To (ft.)  Kind of plug From (ft.) To (ft.)  Mare Earth Solutions Inc.  Complete License Number	3.	Year Drilled	2002 4. Drilling	Permit Number (and date	, if known			*
8. Detains of Plugging (bentonite, neat cement or other materials)  Filled with Top Soil From (ft.) 0 to (ft.) 2  Kind of plug Bentonite Grout From (ft.) 2 to (ft.) 60  Filled with From (ft.) to (ft.)  Kind of plug From (ft.) to (ft.)  Filled with From (ft.) to (ft.)  Filled with From (ft.) to (ft.)  Filled with From (ft.) To (ft.)  Licensed water well driller or other person approved by the Department performing well sealing  Name Earth Solutions Inc.  Complete License Number	5.	Type of Well	Monitoring	6. Total Depth (ft.)	Diamete	r (in.) 2		
Kind of plug Bentonite Grout From (ft.) 2 to (ft.) 60  Filled with From (ft.) to (ft.)  Kind of plug From (ft.) to (ft.)  Filled with From (ft.) to (ft.)  Filled with From (ft.) to (ft.)  Sind of plug From (ft.) to (ft.)  CASING RECORD Upper 2 feet of casing removed Yes 10. Date well was sealed Mar 25, 2013  11. Licensed water well driller or other person approved by the Department performing well sealing  Name Earth Solutions Inc.  Complete License Number				or other materials)				*
Filled with From (ft.) to (ft.)  Kind of plug From (ft.) to (ft.)  Filled with From (ft.) to (ft.)  Kind of plug From (ft.) to (ft.)  9. CASING RECORD Upper 2 feet of casing removed Yes 10. Date well was sealed Mar 25, 2013  11. Licensed water well driller or other person approved by the Department performing well sealing  Name Earth Solutions Inc.  Complete License Number		Filled with	Top Soil	From (ft.)	to (ft.)			
Kind of plug From (ft.) to (ft.)  Filled with From (ft.) to (ft.)  Kind of plug From (ft.) to (ft.)  9. CASING RECORD Upper 2 feet of casing removed Yes 10. Date well was sealed Mar 25, 2013  11. Licensed water well driller or other person approved by the Department performing well sealing  Name Earth Solutions Inc.  Complete License Number		Kind of plug	Bentonite Grout	From (ft.) 2	to (ft.)	60		
Filled with From (ft.) to (ft.)  Kind of plug From (ft.) to (ft.)  9. CASING RECORD Upper 2 feet of casing removed Yes 10. Date well was sealed Mar 25, 2013  11. Licensed water well driller or other person approved by the Department performing well sealing  Name Earth Solutions Inc.  Complete License Number		Filled with		From (ft.)	to (ft.)			
Kind of plug From (ft.) to (ft.)  9. CASING RECORD Upper 2 feet of casing removed Yes 10. Date well was sealed Mar 25, 2013  1. Licensed water well driller or other person approved by the Department performing well sealing  Name Earth Solutions Inc. Complete License Number		Kind of plug		From (ft.)	to (ft.)			
9. CASING RECORD Upper 2 feet of casing removed Yes 10. Date well was sealed Mar 25, 2013  11. Licensed water well driller or other person approved by the Department performing well sealing  Name Earth Solutions Inc.  Complete License Number		Filled with		From (ft.)	to (ft.)			
Licensed water well driller or other person approved by the Department performing well sealing     Name		Kind of plug	L.,	From (ft.)	to (ft.)			
						<u></u>	25, 2013	
Address 40W205 Deer Run Drive City St. Charles State Illinois Zip Code 60175		Name Ea	rth Solutions Inc.	Complete	License Number			
		Address	40W205 Deer Run Drive	City St. Charles	State Illinois		Zip Code	60175

This state agency is requesting discolsure of information that is necessary to accomplish the statutory purpose as outlined under Public Act-0863. Disclosure of this information is mandatory. This form has been approved by the Forms Management Center. IL 482-0631

#### ILLINOIS DEPARTMENT OF PUBLIC HEALTH DIVISION OF ENVIRONMENTAL HEALTH 525 W. JEFFERSON ST. SPRINGFIELD, IL 62761



#### WATER WELL SEALING FORM

#### PDF FILLABLE/SAVABLE

RETURN ALL COPIES TO IDPH OR LOCAL HEALTH DEPARTMENT

This form shall be submitted to this Department or the local health department not more than 30 days after a water well, boring or monitoring well is sealed. Such wells are to be sealed not more than 30 days after they are abandoned in accordance with the sealing requirements in the Illinois Water Well Construction Code. THE LOCAL HEALTH DEPARTMENT OR REGIONAL PUBLIC HEALTH DEPARTMENT MUST BE NOTIFIED AT LEAST 48 HOURS PRIOR TO SEALING.

	<del> </del>	
1.	wnership (Name of Controlling Party) Evergreen Manor Site	
2.	ell Location: Well Site Address Monitoring Well MW-03 City Roscoe Township Zip	
	ot # Land I.D.# County Winnebago Township T46N	
	Range R2E Section 29 Quarter of the Quarter of the Quarter	
	SE SW SW	8
	SPS: North Degrees 42 Minutes 25 Seconds 41.9 West Degrees 89 Minutes 2 Seconds 5.4  Report decimal minutes to minutes and seconds by multiplying the decimal part of the minutes by 60, e.g. latitude 38 degrees 46.07 minutes N yould be latitude 38 degrees 46 minutes 4.2 seconds (0.07 x 60 = 4.1) N. Report GPS coordinates to the nearest 0.1 second.	
3.	ear Drilled 2002 4. Drilling Permit Number (and date, if known	
5.	pe of Well Monitoring 6. Total Depth (ft.) 75 Diameter (in.) 2	
7.	ormation clear of obstruction Yes	
8.	etains of Plugging (bentonite, neat cement or other materials)	
	lled with Top Soil From (ft.) 0 to (ft.) 2	
	ind of plug Bentonite Grout From (ft.) 2 to (ft.) 75	
	lled with From (ft.) to (ft.)	
	ind of plug From (ft.) to (ft.)	
	lled with From (ft.) to (ft.)	
	ind of plug From (ft.) to (ft.)	
	ASING RECORD Upper 2 feet of casing removed Yes 10. Date well was sealed Mar 25, 2013 censed water well driller or other person approved by the Department performing well sealing	
	Name Earth Solutions Inc. Complete License Number	
	Address 40W205 Deer Run Drive City St. Charles State Illinois Zip Code 60175	7
ie el	agency is requesting discolaure of information that is necessary to accomplish the statutory purpose as outlined under Public Act 0863	_

This state agency is requesting discolsure of information that is necessary to accomplish the statutory purpose as outlined under Public Act-0863. Disclosure of this information is mandatory. This form has been approved by the Forms Management Center. IL 482-0631

#### ILLINOIS DEPARTMENT OF PUBLIC HEALTH DIVISION OF ENVIRONMENTAL HEALTH 525 W. JEFFERSON ST. SPRINGFIELD, IL 62761



#### WATER WELL SEALING FORM

#### PDF FILLABLE/SAVABLE

RETURN ALL COPIES TO IDPH OR LOCAL HEALTH DEPARTMENT

This form shall be submitted to this Department or the local health department not more than 30 days after a water well, boring or monitoring well is sealed. Such wells are to be sealed not more than 30 days after they are abandoned in accordance with the sealing requirements in the Illinois Water Well Construction Code. THE LOCAL HEALTH DEPARTMENT OR REGIONAL PUBLIC HEALTH DEPARTMENT MUST BE NOTIFIED AT LEAST 48 HOURS PRIOR TO SEALING.

Ownership (Name of Controlling Party)  Evergreen Manor Site	
1. Ownership (Name of Controlling Farty)	
2. Well Location: Well Site Address Monitoring Well MW-103S City Roscoe Township Zip	
Lot # Land I.D.# County Winnebago Township T46N	
Range R2E Section 21 Quarter of the Quarter of the Quarter of the NW NW	
GPS: North Degrees 42 Minutes 27 Seconds 15.1 West Degrees 89 Minutes 1 Seconds 2.3  Report decimal minutes to minutes and seconds by multiplying the decimal part of the minutes by 60, e.g. latitude 38 degrees 46.07 minutes N would be latitude 38 degrees 46 minutes 4.2 seconds (0.07 x 60 = 4.1) N. Report GPS coordinates to the nearest 0.1 second.	]
Year Drilled     4. Drilling Permit Number (and date, if known	
5. Type of Well Monitoring 6. Total Depth (ft.) 42 Diameter (in.) 2	
<ul> <li>7. Formation clear of obstruction Yes</li> <li>8. Detains of Plugging (bentonite, neat cement or other materials)</li> </ul>	
Filled with Top Soil From (ft.) 0 to (ft.) 2	
Kind of plug Bentonite Grout From (ft.) 2 to (ft.) 42	
Filled with From (ft.) to (ft.)	
Kind of plug From (ft.) to (ft.)	
Filled with From (ft.) to (ft.)	
Kind of plug From (ft.) to (ft.)	
9. CASING RECORD Upper 2 feet of casing removed Yes 10. Date well was sealed Mar 25, 2013  11. Licensed water well driller or other person approved by the Department performing well sealing	
Name Earth Solutions Inc. Complete License Number	
Address 40W205 Deer Run Drive City St. Charles State Illinois Zip Code 60175	

This state agency is requesting discolsure of information that is necessary to accomplish the statutory purpose as outlined under Public Act-0863. Disclosure of this information is mandatory. This form has been approved by the Forms Management Center. IL 482-0631

# ILLINOIS DEPARTMENT OF PUBLIC HEALTH DIVISION OF ENVIRONMENTAL HEALTH 525 W. JEFFERSON ST. SPRINGFIELD, IL 62761



#### WATER WELL SEALING FORM

#### PDF FILLABLE/SAVABLE

RETURN ALL COPIES TO IDPH OR LOCAL HEALTH DEPARTMENT

This form shall be submitted to this Department or the local health department not more than 30 days after a water well, boring or monitoring well is sealed. Such wells are to be sealed not more than 30 days after they are abandoned in accordance with the sealing requirements in the Illinois Water Well Construction Code. THE LOCAL HEALTH DEPARTMENT OR REGIONAL PUBLIC HEALTH DEPARTMENT MUST BE NOTIFIED AT LEAST 48 HOURS PRIOR TO SEALING.

Ownership (Name of Controlling Party)  Evergreen Manor Site
2. Well Location: Well Site Address Monitoring Well MW-106S City Roscoe Township Zip
Lot # Land I.D.# County Winnebago Township T46N
Range R2E Section 29 Quarter of the Quarter of the Quarter NW NE
GPS: North Degrees 42 Minutes 26 Seconds 23.4 West Degrees 89 Minutes 1 Seconds 36.5  Report decimal minutes to minutes and seconds by multiplying the decimal part of the minutes by 60, e.g. latitude 38 degrees 46.07 minutes N would be latitude 38 degrees 46 minutes 4.2 seconds (0.07 x 60 = 4.1) N. Report GPS coordinates to the nearest 0.1 second.
Year Drilled     4. Drilling Permit Number (and date, if known
5. Type of Well Monitoring 6. Total Depth (ft.) 65 Diameter (in.) 2
7. Formation clear of obstruction Yes
8. Detains of Plugging (bentonite, neat cement or other materials)
Filled with Top Soil From (ft.) 0 to (ft.) 2
Kind of plug Bentonite Grout From (ft.) 2 to (ft.) 65
Filled with From (ft.) to (ft.)
Kind of plug From (ft.) to (ft.)
Filled with From (ft.) to (ft.)
Kind of plug From (ft.) to (ft.)
9. CASING RECORD Upper 2 feet of casing removed Yes 10. Date well was sealed Mar 25, 2013  11. Licensed water well driller or other person approved by the Department performing well sealing
Name Earth Solutions Inc. Complete License Number
Address 40W205 Deer Run Drive City St. Charles State Illinois Zip Code 60175

This state agency is requesting discolsure of information that is necessary to accomplish the statutory purpose as outlined under Public Act-0863. Disclosure of this information is mandatory. This form has been approved by the Forms Management Center.

#### ILLINOIS DEPARTMENT OF PUBLIC HEALTH DIVISION OF ENVIRONMENTAL HEALTH 525 W. JEFFERSON ST. SPRINGFIELD, IL 62761



#### WATER WELL SEALING FORM

#### PDF FILLABLE/SAVABLE

## RETURN ALL COPIES TO IDPH OR LOCAL HEALTH DEPARTMENT

This form shall be submitted to this Department or the local health department not more than 30 days after a water well, boring or monitoring well is sealed. Such wells are to be sealed not more than 30 days after they are abandoned in accordance with the sealing requirements in the Illinois Water Well Construction Code. THE LOCAL HEALTH DEPARTMENT OR REGIONAL PUBLIC HEALTH DEPARTMENT MUST BE NOTIFIED AT LEAST 48 HOURS PRIOR TO SEALING.

Ownership (Name of Controlling Party) Evergreen Manor Site
2. Well Location: Well Site Address Monitoring Well MW-106D City Roscoe Township Zip
Lot # Land I.D.# County Winnebago Township T46N
Range R2E Section 29 Quarter of the Quarter of the Quarter of the NW NE
GPS: North Degrees 42 Minutes 26 Seconds 23.4 West Degrees 89 Minutes 1 Seconds 36.5  Report decimal minutes to minutes and seconds by multiplying the decimal part of the minutes by 60, e.g. latitude 38 degrees 46.07 minutes N would be latitude 38 degrees 46 minutes 4.2 seconds (0.07 x 60 = 4.1) N. Report GPS coordinates to the nearest 0.1 second.
Year Drilled     4. Drilling Permit Number (and date, if known
5. Type of Well Monitoring 6. Total Depth (ft.) 100 Diameter (in.) 2
7. Formation clear of obstruction Yes  8. Detains of Plugging (bentonite, neat cement or other materials)
Filled with Top Soil From (ft.) 0 to (ft.) 2
Kind of plug Bentonite Grout From (ft.) 2 to (ft.) 100
Filled with From (ft.) to (ft.)
Kind of plug From (ft.) to (ft.)
Filled with From (ft.) to (ft.)
Kind of plug From (ft.) to (ft.)
9. CASING RECORD Upper 2 feet of casing removed Yes 10. Date well was sealed Mar 25, 2013  11. Licensed water well driller or other person approved by the Department performing well sealing
Name Earth Solutions Inc. Complete License Number
Address 40W205 Deer Run Drive City St. Charles State Illinois Zip Code 60175

This state agency is requesting discolsure of information that is necessary to accomplish the statutory purpose as outlined under Public Act-0863. Disclosure of this information is mandatory. This form has been approved by the Forms Management Center.